



CHEMICAL PRODUCTS FOR THE INDUSTRY



Tradename	Chemical name	Aplication
Acetic acid	Acetic acid	Deliming acid for leather. In dyeing. In the manufacture of acetates and plastics. Food preservative. Solvent for gums and resins. Using in organic syntheses.
Acetic anhydride	Acetic anhydride	Widely used in organic syntheses. As a solvent for wool fats, oils and resins. In reactions for water extraction.
Acetone	2-Propanone	Solvent for paints, varnishes and lacquers. Cleaning and drying of precision instruments.
Adipic acid	Adipic acid	Acid mask in chrome tanning. Use in the manufacture of plastics, resins, additives for lubricants, phosphates. It is not hygroscopic.
Aluminium sulfate	Aluminium sulfate	(Liquid or powder) In leather tanning. Water purification. Manufacture of paper, oil, fats. In waterproof and fireproof.
Aluminium triacetate	Aluminium triacetate	White tanning for fur. Mordant for dyeing leather and textiles. Waterproofing.
Ammonium alum	Ammonium aluminium sulfate	In white tanning. Water purification. Manufacture of paper, porcelain and marble. In dyes and flame retardants.
Ammonium bicarbonate	Ammonium bicarbonate	In neutralized tanning, as a fertilizer, in cooling baths, for textile degreasing, plastics, ceramics, dyes.
Ammonium bifluoride	Ammonium bifluoride	Manufacture of glass and porcelain. Polishing and mordant for aluminum. Cleaning and sterilization of food equipment.
Ammonium chloride	Ammonium chloride	Washing of the skin in the unhairing. Descaling salt. In tinctures. In cooling and washing products. Cement manufacturing. In galvanized. In surface coating of iron with zinc.
Ammonium nitrate	Ammonium nitrate	In fertilizers. Mixtures for refrigerants. In pyrotechnics.
Ammonium persulfate	Ammonium peroxydisulfate	In tinctures Manufacture of dyes. As bleach and oxidant.
Ammonium sulfate	Ammonium sulfate	Deliming salt for skins. Fertilizer. In antifreeze mixtures. Flame retardant product. In iron galvanizing.
Ammonium tartrate	Ammonium tartrate	Mordant in the textile industry.
Antimonous oxide	Antimony trioxide	Flame retardant product in textile.
Barium carbonate	Barium carbonate	In the manufacture of paper, ceramics, enamels, paints, marble substitutes, rubber, glass.

Tradename	Chemical name	Aplication
Bentonite	Bentonite	Base for construction products. Emulsifier for oils.
Borax decahydrate	Borax decahydrate	Preservative and moisturizer for leather. cleaning agents. Manufacture of glass and enamels. Fireproofing, aging and preservation of wood and paper.
Boric acid	Boric acid	Mild deliming acid for leather. Good whitening effect. Printing and dyeing assistant. Hydrophobic and flame retardant agent. In nickel-plated baths. Manufacture of porcelain cement, glass, borates. Steel hardener.
Butanol	Butyl alcohol	Solvent for fats, waxes, resins, varnishes. Manufacture of detergents, lacquers, etc.
Butyl glycol	2-Butoxyethanol	Solvent for nitrocellulose, oils, dyes, rubbers, soaps and resins.
Calcium carbonate	Calcium carbonate	Filling. In the manufacture of paper, ceramics, paints, plastics, rubber and rubber. Antacid.
Calcium chloride	Calcium chloride	To control swelling during unhairing of hides. Dehydrating agent. In refrigerant products. Anti-dust agent.
Calcium hydroxide	Calcium hydroxide	In the fur of the skin. Construction materials. Water treatment. Manufacture of paper pulp, paints, lubricants. Surface fireproofing treatments.
Calcium hypochlorite	Calcium hypochlorite	Fungicide. Bactericide. Algacide. Disinfectant. Bleaching and oxidizing agent.
Carbide gas meter	Calcium carbide	Acetylene gas generator with moisture. Reducing agent. Metal fabrication, welding and cutting.
Carboxymethyl cellulose	Carboxymethyl cellulose	In detergents, in resin emulsion paints, glues and as a protective colloid in general. In pharmacy to prepare suspensions.
Castor oil	Castor oil	Base chemical. In the manufacture of lubricants, synthetic resins, detergents, varnishes and paints. Superficial treatments.
Caustic potash	Potassium hydroxide	(Liquid or flakes). In paint and varnish strippers. Manufacture of soaps, inks.
Caustic soda	Sodium hydroxide	(Aqueous solutions, flakes, pearls). In acid neutralization. Fat hydrolysis. Manufacture of soaps, plastics. Precipitation of metals and alkaloids in the water.
Chestnut extract	Chestnut extract	Vegetable tanned, soft, white in color with good fastness.
Chlorine in tablets	Trichloroisocyanuric acid	Water treatment and purification.

Tradename	Chemical name	Aplication
Citric acid	Citric acid	Acidifier for beverages and foods. Antioxidant, antifoam. Metallic sequestering agent. Mordant for dyes.
Colophony	Colophony	In the manufacture of synthetic leather, wool, cotton, cement. As a fire-retardant agent, disinfectant.
Copper sulfate	Copper sulfate	Pesticide. In galvanized.
Cornstarch	Cornstarch	Manufacture of adhesive products. Thickener. In textile finishes. In paper production and surface treatment.
Crystal disodium phosphate	Crystal disodium phosphate	Use in tanning. Mordant in dyes. Manufacture of detergents, ceramics, enamels, waterproofed products. In welds.
Crystal monosodium phosphate	Monobasic sodium phosphate	In water treatment. Dry acidulant.
Crystal trisodium phosphate	Sodium phosphate	In tanning. Paper manufacturing. Like detergent. Water softener.
Cyclohexanone	Cyclohexanone	Solvent for fats, waxes, resins, nitrocellulose and cellulose acetate, DDT.
DBS	Dodecylbenzenesulfonate	Surfactant.
Desdisol	Aromatic hydrocarbon mixture	Textile printing solvents.
Dextrose	D-glucose monohydrate	Chrome tanning solutions. Component for textile printing. In food industry.
Diacetone alcohol	Diacetone alcohol	Solvent for grease, waxes, oils, resins, cellulose acetate, nitrocellulose. In antifreeze solutions or hydraulic fluids.
Diammonium phosphate	Diammonium phosphate	Flame retardant in textiles, paper, wood, fiber. As a corrosion inhibitor. In metal welding.
Dibutyl phthalate	Dibutyl phthalate	To make plastics more flexible and also in supports for carpets, paints, glue and cosmetics.
Dichloromethane	Dichloromethane	Degreasing and cleaning product. Solvent for cellulose acetate. Paint stripper.
Diethanolamine	Diethanolamine	Moisturizing and softening agent. Emulsifier and dispersant. In the manufacture of lubricants or surface products for textiles.
Diethylene glycol	Diethylene glycol	Finishing and lubricating product for wool, cotton, silk. In antifreeze solutions. In the manufacture of glues and pastes to prevent drying.
Diethylene glycol butyl ether	DEG monobutyl ether	Solvent for nitrocellulose, oils, dyes, rubbers, soaps and resins.

Tradename	Chemical name	Aplication
Dimethylformamide	Dimethylformamide	Universal solvent for liquids and gases, with a slow evaporation rate.
Dipropylen glycol	Dipropylen glycol	Solvent for nitrocellulose, gums and lacquers. Manufacture of inks.
Disolgraf	Product mix of alcohols	Solvent for industrial cleaning, dyes and graphics.
Disol-Limp	Product mix of alcohols	Universal solvent for pigmenting machine circuits.
E-100 solvent	Decane	Solvent. Use in metal cleaning. Dry cleaning. Manufacture of inks and varnishes.
Graphic solvent	Aromatic hydrocarbons	Solvent for industrial cleaning, dyes and graphics.
Cleaning solvent	Aromatic hydrocarbons	Industrial cleaning solvent.
NF-100 solvent	Naphtha-100	In the petrochemical industry for the production of olefins and in the chemical industry for solvents.
Universal solvent	Aromatic hydrocarbons	Solvent for application in paints and industrial cleaning.
Distilled water	Distilled water	The most universal solvent.
D-limonene	D-limonene	Solvent, resin manufacturing, wetting and dispersing agents.
Dolomite	Calcium and Magnesium Carbonate	Basifying agent in chrome tanning. Manufacture of bricks and reflective and insulating materials. Manufacture of paper, ceramics.
Ethyl acetate	Ethyl acetate	Solvent for lacquers, varnishes and nitrocellulose, textile cleaning, artificial leather, artificial essences.
Ethyl glycol	Ethyl glycol	In water-based dye and pigment solutions for leather finishing. Solvent for lacquers, varnishes and nitrocellulose.
Fanbac MV	Fanbac MV	Preservative for the tanning industry. Fungicide and bactericide.
Ferric chloride	Iron (III) chloride	In purification and deodorization of wastewater. As a mordant in dyeing and textile printing. Manufacture of dyes. Catalyst in organic reactions.
Ferric sulfate	Iron (III) sulfate	Coagulant for water treatment. Mordant for textile dyeing.
Ferrous chloride	Iron (II) chloride	In water treatment. Dye mordant. Reducing agent. In metallurgical industry.
Ferrous sulfate	Iron (II) sulfate	Leather dye. Reducing agent. In water treatment. Fertilizer. In the manufacture of inks, pesticides. In galvanized.

Tradename	Chemical name	Aplication
Fish oil	Fish oil	Tanning oil for suede leather.
Flocubat 18	Liquid polyaluminum chloride	Physical-chemical treatment of water. Thickening and sedimentation of sludge in the filtration process. Paper manufacturing.
Formaldehyde	Formaldehyde in aqueous solution	In pickling and conservation of skins. To increase the fastness in dyeing. To make casein, albumin and gelatin insoluble. In the manufacture of phenolic resins, dyes. As a disinfectant, fungicide, insecticide. Hydrophobicizing agent. Preservative.
Formic acid	Formic acid	Pickling acid for leather. Reducer in wool dyes. Softener agent.
Fosforic acid	Orthophosphoric acid	Liquid fertilizer. Manufacture of phosphates, acidifier.
Gambier extract	Gambier extract	Vegetable tanning, full and firm. Yellowish colour.
Gluconic acid	Gluconic acid	Product with sequestering properties. In cleaning preparations.
Glycerin	Glycerin	As a solvent. Humectant. Antifreeze. In stamping. Manufacture of lubricants, glues, cements.
Glycolic acid	Hydroxyacetic acid	Deliming agent for quality leathers. Masking. Acidulant. Low corrosion cleaner for industrial equipment. Additive in lubricating oils.
Glyoxylic acid	Glyoxylic acid	Intermediate product for perfumery. Manufacture of plastic dyes.
Granular sodium cyanide	Sodium cyanide	Fumigant agent. Galvanized baths. Steel hardener.
Haematin	Haematin	Auxiliary in leather dyeing for black.
Heptane	n-Heptane	Cleaning in the textile industry. Polymerization solvent. Synthetic rubber construction.
Hexane	N-Hexane	Preparation of solvents for inks and varnishes. Cleaning. Extraction of vegetable oils. Solvent for polymerization.
Hexylene glycol	2-Methyl-2,4-pentanediol	Auxiliary in hydraulic fluids. In cosmetics.
Hydrochloric acid	Hydrogen chloride in solution	Deliming acid for leather. Neutralizer of basic systems. Protein and starch hydrolyzer. In metal cleaning. Catalytic converter and solvent in organic synthesis.

Tradename	Chemical name	Aplication
Hydrofluoric acid	Hydrogen fluoride	In metal cleaning and galvanizing. In extraction of stone efflorescence. To increase the porosity of ceramics. Crystal polishing. In the decomposition of cellulose.
Hydrogen peroxide	Hydrogen peroxide	Textile whitener and for multiple products. Paint remover. Oxidizing. Disinfectant. Cleaning agent for metals.
Industrial casein	Casein	Leather and textile finish. Manufacture of paints, plastics, adhesives, paper and fibers.
Isobutanol	2-Methylpropan-1-ol	Solvent in paint, varnish removers.
Isopropanol	Propan-2-ol	Solvent for resins, gums, inks, essential oils. In the manufacture of cosmetics. In solutions for antifreeze.
Kaolinite	Alumina silicate hydrate	In pastes for unhairing the skin. Filler in general. Desiccant agent. Manufacture of bricks, porcelain, cement, pottery and insulation.
Lauryl Ether	Narrow-range ethoxylate	Emulsifier and degreaser. Humectant.
Lead acetate	Lead acetate	Textile printing and dyeing.
Lead nitrate	Lead nitrate	Mordant and oxidant in textile dyeing and printing.
Licuocrom 33	Basic Liquid Chromium Sulfate	In chrome leather tanning. 33% basicity. Manufacture by organic reduction.
Licuocrom 42	Basic Liquid Chromium Sulfate	In chrome leather tanning. 42% basicity. Manufacture by organic reduction.
Lime oxide	Lime oxide	In fur coat. Water treatment. Manufacture of construction materials, paper, glass, metals, fungicides, insecticides, lubricants.
Liquid ammonia	Liquid ammonia	Use in the chemical industry in general. As a coolant. In the manufacture of fertilizers, synthetic fibers, etc.
Powder sodium lignosulfonate	Sodium lignosulfonate	Anionic dispersing agent for solids in aqueous systems. As binder. in the manufacture of adhesives. In tanned.
Litharge	Lead monoxide	Manufacture of enamels, porcelain, varnishes, pottery. As a pigment.
M.E.K.	Butan-2-one	Solvent. In the manufacture of synthetic resins and smokeless powders. In surface treatments.
Magnesium chloride	Magnesium chloride	In the manufacture of synthetic leather, wool, cotton cements. As a fire retardant and disinfectant agent.

Tradename	Chemical name	Aplication
Magnesium fluorosilicate	Magnesium hexafluorosilicate	In textile manufacturing. Antimoth agent.
Magnesium oxide	Magnesium oxide	Basifying agent in chrome tanning. Additive in lubricants. Manufacture of bricks and reflective and insulating materials.
Magnesium sulfate	Magnesium sulfate	(Anhydrous or heptahydrate crystals). Leather tanning. Paper manufacturing. Fireproof. Water treatment. Fertilizer.
Manganese sulfate	Manganese (II) sulfate	Use in dyes. In porcelain manufacturing, varnishes. As fertilizer.
Marseille soap	Marseille soap	Emulsifier, thickener, humectant, antioxidant for metals. In powder detergents.
MEKP	Methyl ethyl ketone peroxide	Nitrocellulose solvent and resins. Paint remover.
Methanol	Methyl alcohol	Industrial solvent. Antifreeze. Gas.
Methoxipropanol	Methoxipropanol	Solvent for resins, rubbers, inks. in antifreeze solutions.
Methyl acetate	Methyl acetate	Solvent for nitrocellulose, acetocellulose and many resins and oils. Synthetic leather manufacturing.
Mimosa extract	Acacia extract	(Granulated or powder). Vegetable tanning. Good solubility. Various types available with different characteristics and light shades of red.
Monoammonium phosphate	Ammonium dihydrogen phosphate	Flame retardant in textiles, paper, wood, fiber.
Monoethanolamine	2-Aminoethan-1-ol	In the synthesis of surface agents. In emulsifiers. In dispersing agent for agricultural chemicals. In the manufacture of antibiotics.
Monoethylene glycol	Ethane-1,2-diol	Solvent for the manufacture of paints, plastics, inks, synthetic fiber, waxes. Moisturizer
Monomer Styrene	Styrene	Manufacture of plastic, resins, synthetic rubber, insulators.
Mostanol	Mostanol	Industrial solvent.
Nickel chloride	Nickel (II) chloride	Use in zinc nickel plating. As absorbent of ammonia gas. In the manufacture of ink.
N-Methylpyrrolidone	1-Methylpyrrolidin-2-one	Used in the production of acetylene and lubricating and aromatic oils. As a paint remover and degreaser.

Tradename	Chemical name	Aplication
Nonisol 1-I	Isopropyl alcohol	Solvent for resins, gums, inks, essential oils. In the manufacture of cosmetics. Solutions for antifreeze.
Nonisol 2-T	Methylbenzene	Solvent in the manufacture of organic compounds, dyes.
Oleic acid	Oleic acid	In textile waterproofing. Manufacture of oleates and soaps; Lubricant oils; polishing compounds.
Oxalic acid	Oxalic acid	Whitening agent in tanning, metallurgy, paper mills, paints. It facilitates the soaking of the leather. Wood cleaning; metal polishing. Reducing agent.
Paraffin	Paraffin	In waterproofing leather, paper, wood. Manufacture of paper, candles, varnishes, lubricants, polishes, cosmetics.
Peracetic acid	Peracetic acid	Strong oxidizing agent.
Perchloroethylene	Tetrachloroethylene	Solvent. In dry cleaning. Degreasing of skins and metals.
Polyacrylamide	Polyacrylamide	Solid and liquid flocculants for clarification, thickening and dehydration.
Polyethylene glycol 200	Polyethylene glicol 200	Water soluble lubricant for textile, rubber and metal moulds. Surface coatings on paper. In polishing, painting, ceramics. Humectant.
Polyethylene glycol 400	Polietilen Glicol 400	Water soluble lubricant for textile, rubber and metal moulds. Surface coatings on paper. In polishing, painting, ceramics. Humectant.
Potassium alum	Potassium aluminium sulfate	Fabric printing. Manufacture of dyes. Lacquers. Paper. Explosives. In tanned. Water treatment.
Potassium bitartrate	Potassium bitartrate	In the manufacture of ground glass. In welds.
Potassium carbonate	Potassium carbonate	Leather tanning and finishing. Manufacture of glass, pottery, enamels and shampoos.
Potassium chloride	Potassium chloride	Use in buffer solutions, photography and electrolytic cells.
Potassium cyanide	Potassium cyanide	Fumigant agent. In galvanizing baths.
Potassium dichromate	Potassium dichromate	In leather tanning. In dyes, punctures and prints. Bleaching of oils, waxes and sponges.
Potassium metabisulfite	Potassium metabisulfite	Antiferment. Whitening.
Potassium permanganate	Potassium permanganate	In leather tanning. Water treatment. Bleaching product for suede leather, textiles, fibers, waxes.

Tradename	Chemical name	Aplication
Potassium persulfate	Potassium peroxydisulfate	Whitening product.
Potassium sorbate	Potassium sorbate	Yeast inhibitor.
Potato starch	Potato starch	Thickener. Binder. Paper manufacturing.
Probio MQ	Probio MQ	Biofood for treatment plant.
Procrom 33	Basic Chromium Sulfate	Tanning chrome salt. 33% Basicity. 25% Chrome oxide.
Prodol C-2	Prodol C-2	Wetting compound with high soaking power, slightly degreasing.
Prodol DA	Prodol DA	Multipurpose degreaser for leather manufacturing.
Profloc CO 220 JR	Profloc CO 220 JR	Coagulant.
Profloc CO DEC	Profloc CO DEC	Used in coagulation processes, also as a decolorizer.
Profloc CO DRP	Profloc CO DRP	Coagulant mixture in wastewater.
Profloc FE	Profloc Fe	Coagulant and flocculant mixture in wastewater.
Profloc PAC-F	Profloc PAC-F	Multifunctional product for water treatment.
Profloc PAC-S	Profloc PAC-S	Multifunctional product for water treatment.
Profoam 265/2	Profoam 265/2	Antifoam.
Profoam S	Profoam S	Antifoam, applicable to treatment processes in which a large amount of foam is generated.
Propionic acid	Propionic acid	Preservative and inhibitor. Esterifying agent.
Propylene glycol	Propylene glycol	Non-toxic antifreeze. Fungicide. Fermentation inhibitor. In the manufacture of synthetic resins.
Prosyn NH	Prosyn NH	Dispersant for general use both for vegetable, resin, synthetic dyeing and retanning, etc.
Prosyn TPF	Prosyn TPF	Polyphosphate applied to the wet stages of tanning.
Pumice	Pumice	Use in metal polishing. Manufacture of insulating or fireproof compounds.
Quebracho extract	Quebracho extract	Fast vegetable tanning with good filling power and reddish colour.
Salt	Sodium chloride	In the preserved in general. Skin pickling. In dyes and prints. Manufacture of metals, soaps, dyes, refrigerant mixtures.

Tradename	Chemical name	Aplication
Salicylic acid	Salicylic acid	In tinctures. Preservative agent.
Soda formiate	Soda formiate	As a buffer, to adjust the pH of strong acids. It facilitates the soaking of the leather. metal precipitant.
Sodium acetate	Sodium acetate trihydrate	Buffer to remove strong acids. Dye mordant. Reactive in electrogalvanized.
Sodium benzoate	Sodium benzoate	Preservative in acid medium. Antioxidant and fungicide.
Sodium bicarbonate	Sodium bicarbonate	Basifying. In the manufacture of sodium salts and effervescent salts, in yeasts and beverages.
Sodium bisulfate	Sodium bisulfate	Substitute for sulfuric acid in textiles. Carbonization of wool. Cement manufacturing. Metal pickling.
Sodium bisulfite	Sodium bisulfite	Increases soaking in small skin. Deliming aid with good oxidizing and whitening effect. In tinctures. In wool bleaching and disinfection. In extraction of permanganate in skins.
Sodium carbonate	Sodium carbonate	Increases the soaking of the leather. General cleaning agent. Textile whitener. Water softener. In the manufacture of glass.
Sodium chlorate	Sodium chlorate	Leather tanning and finishing. In dyeing and printing. Oxidizing agent. Manufacture of dyes and explosives.
Sodium chlorite	Sodium chlorite	Whitening agent for textiles and paper. Water purifier.
Sodium dichromate	Sodium dichromate	In leather tanning. Manufacture of organic synthetics, dyes, paints, prints, chromates. In bleaching of oils, waxes and sponges.
Sodium fluoride	Sodium fluoride	In water fluoridation. Pesticide formulations. As a disinfecting agent. Surface treatment of the paper. Galvanized.
Sodium hexametaphosphate	Sodium hexametaphosphate	Use in the manufacture of detergents. Water softening.
Sodium hydrosulfide	Sodium hydrosulfide	Controls swelling during unhairing of leather. Reducer in textile dyeing. In the manufacture of sulfur dyes.
Sodium hydrosulfite	Sodium hydrosulfite	As a bleaching agent. Reducing product in dyes. Dye remover in dyed articles.
Sodium hypochlorite	Sodium hypochlorite	Disinfectant. Deodorant. Germicidal. Whitening.
Sodium hyposulfite	Sodium thiosulfate	To extract chlorine, for example, in paper pulp. Whitening. Mordant for dyeing and prints.

Tradename	Chemical name	Aplication
Sodium metasilicate	Sodium metasilicate	Manufacturing of soaps and detergents. Textile bleaching.
Sodium nitrate	Sodium nitrate	Manufacture of glass, enamels. Fertilizer.
Sodium nitrite	Sodium nitrite	In many organic chemical processes. In dyes and textile prints. Whitening product.
Sodium perborate	Sodium perborate	Bleaching product for textiles, fibers, waxes.
Sodium percarbonate	Sodium percarbonate	Oxidizing agent.
Sodium persulfate	Sodium peroxodisulfate	Whitening and oxidizing product. Emulsifier in polymerization reactions.
Sodium sulfate	Sodium sulfate	In dyes and textile prints. Drying of organic liquids. Manufacture of paper pulp, glass.
Sodium sulfide	Sodium sulfide	In unhairing and skinning of skins. Manufacture of rubber and sulfur dyes. In cotton print. In metal refining.
Sodium sulfite	Sodium sulfite	It facilitates the soaking of the leather. Basifying agent in chrome tanning. As a reducer in dyes. In textile bleaching. To eliminate chlorides in paper and textiles.
Sodium sulfosuccinate	Sodium sulfosuccinate	Wetting product for aqueous systems. Oil-in-water emulsifier.
Sodium triphosphate	Sodium triphosphate	Sequestrant for water treatment. Emulsifying and dispersing. To control viscosity in oils. peptizing agent.
Solvent PT	Propylene Glycol Methyl Ether	Solvent for resins, rubbers, inks. in antifreeze solutions.
Sorbitol	Glucitol	Oiling and prints for skin. Humectant. In the manufacture of resins, inks, antifreeze mixtures.
Soy lecithin	Soy lecithin	In the manufacture of fats, paints, varnishes, inks, resins.
Sulfamic acid	Sulfamic acid	Acid cleaning agent. Chlorine stabilizer in water. Flame retardant for the extraction of nitrites.
Sulfur floristella	Sulfur	Fertilizer. Fungicide. Manufacture of paper pulp, plastic, enamels. In vulcanized rubber. Textile and wood bleaching.
Sulfuric acid	Sulfuric acid	In the pickling of skins. In the paper, adhesive and metallurgical industries. Manufacture of dyes and fertilizers. In metallic treatments.
Talc	Talc	Filler for paper, rubber, soaps. As a pigment in paints and varnishes. In liquid filtering. Fireproof and insulating.

Tradename	Chemical name	Aplication
Tartar emetic	Antimony potassium tartrate	Mordant in the leather and textile industry.
Tartaric acid	Tartaric acid	Use in tanning and food industry.
Tetrapotassium pyrophosphate	Tetrapotassium pyrophosphate	Sequestering agent in general. In water treatment. In cleaning compounds.
Tetrasodium pyrophosphate	Tetrasodium pyrophosphate	Sequestering agent in general. In water treatment. In cleaning compounds.
Thiourea	Thiourea	In the manufacture of resins. Vulcanization accelerator.
Titanium dioxide	Titanium dioxide	White pigment in leather finishing. In colorants, paints, plastics, enamels, ceramics, lacquers. Filling and surface treatment on paper.
Toluene	Methylbenzene	In the manufacture of organic compounds and dyes. Solvent for vegetal extraction.
Triethanolamine	Triethanolamine	Intermediate for chemicals. Solvent. emulsifier. Penetrating agent for organic liquids.
Triisobutyl phosphate	Triisobutyl phosphate	Plasticizer for cellulose esters, lacquers, plastics and vinyl resins.
Trisodium citrate	Sodium citrate	As a sequestering agent to remove metals.
Urea	Urea	(Technique). On paper, to soften the cellulose. In reactions with aldehydes to make plastics and resins. Fertilizer.
Vaseline oil	Vaseline oil	Lubricant grease. Corrosion inhibitor. Softener for rubber compounds.
Wheat starch	Wheat starch	Manufacture of adhesive products. Thickener. In textile finishes. In paper production and surface treatment.
WS Disolvent	White Spirit	Solvent. Use in metal cleaning, dry cleaning. Manufacture of inks and varnishes.
Xylene	Dimethylbenzene	Solvent. Manufacture of dyes and other organic compounds.
Zinc	Zinc	Galvanized metals.
Zinc chloride	Zinc chloride	In textile dyeing and printing. Disinfectant agent. Manufacture of parchment paper. Cellulose solvent. Wood preservative and fire retardant. Manufacture of cement, rubber and cotton.
Zinc oxide	Zinc oxide	White pigment for paints, glues and cosmetics. Manufacture of dryers, cement, glass, enamels, porcelain and paper. Flame retardant.
Zinc sulfate	Zinc sulfate	Leather and wood preservative. Bleaching agent for paper. Mordant in textile print.